

Work Order ID 66186

Monday, February 07, 2011 11:52:46 AM



Page 1

Item ID: D3471-043

Accept



Setup Start



Revision ID:

Item Name: Support & Clamp Assembly

Stop



Start Date: 2/8/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 2/22/2011 Req'd Qty: 6.00



Customer:

Reference:

Approvals:

Process Plan: MFDate: 11-02-07

Tooling:

Date:

Run

Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3471	Rev. A

100



Small Fab

Small Fab

Memo

Small Fab

Assemble as per dwg D3471

0.00

110



QC

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

120



Packaging

Packaging

Identify as per dwg & Stock Location: 133

0.00

Memo

0.00

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66186

Monday, February 07, 2011 11:52:46 AM



Page 2

Item ID: D3471-043

Accept



Setup Start



Revision ID:

Item Name: Support & Clamp Assembly

Stop



Start Date: 2/8/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 2/22/2011 Req'd Qty: 6.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run

Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
Description

130



QC

Quality Control

Memos

11/02/14 JJ

ME

11-02-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, February 07, 2011 11:52:43 AM

Page 1

Work Order ID: 66186



Parent Item: D3471-043



Parent Item Name: Support & Clamp Assembly

Start Date: 2/8/2011

Required Date: 2/22/2011

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP rev A 06.03.02 New issue EQ

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____





NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN <i>BS</i>	DRAWN BY <i>BS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>BS</i>	APPROVED <i>BS</i>	DRAWING NO. D3471	REV. A SHEET 1 OF 5
DATE 05.12.21		TITLE BLOWER MOTOR SUPPORT	SCALE 1:6
A	05.12.21	NEW ISSUE	

06-04-03



D3471-041 BLOWER MOTOR SUPPORT

QTY -041	P/N	DESCRIPTION
X	D3471-041	BLOWER MOTOR SUPPORT
2	D3471-043	SUPPORT AND CLAMP ASSEMBLY
1	D3471-1	BASE
8	MS20470AD4-5	RIVET

NOTES:

- 1) IDENTIFY WITH DART P/N D3471-041 USING FINE POINT PERMANENT INK MARKER
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DART

DESIGN <i>BS</i>	DRAWN BY <i>BS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>TH</i>	APPROVED <i>TH</i>	DRAWING NO. D3471	REV. A SHEET 2 OF 5
DATE 05.12.21		TITLE BLOWER MOTOR SUPPORT	SCALE 1:3




06.04.03 *✓*

X 66/80

LOCATE AND TRANSFER DRILL #30 ($\phi 0.129$) THRU HOLE FROM D3471-3 TO MS35842-16 CLAMP AND C'SINK $\phi 0.230 \times 100^\circ$ (3 PLACES)



DETAIL A: COUNTERSINK HOLES
(RIVET NOT SHOWN FOR CLARITY)
SCALE 1:1



D3471-043 SUPPORT & CLAMP ASS'Y

NOTES:

- 1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 2) ALL DIMENSIONS ARE IN INCHES
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010

QTY -043	P/N	DESCRIPTION
X	D3471-043	SUPPORT AND CLAMP ASSEMBLY
1	D3471-3	SUPPORT
3	MS20427M-4	RIVET
1	MS35842-16	CLAMP

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



DESIGN <i>BS</i>	DRAWN BY <i>BS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED <i>MM</i>	APPROVED <i>MM</i>	DRAWING NO. D3471	REV. A	SHEET 3 OF 5
DATE 05.12.21	TITLE BLOWER MOTOR SUPPORT		SCALE	1:4



D3471-1F BASE FLAT PATTERN



D3471-1 BASE BENDING DETAIL

NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET (0.063" THICK)
PER QQ-A-250/4 OR AMS 4037
(REF. DART SPEC. M2024T3S.063)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) PART IS SYMMETRICAL ABOUT CENTER LINE
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN <i>JB</i>	DRAWN BY <i>JB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED <i>MM</i>	APPROVED <i>MM</i>	DRAWING NO. D3471
DATE 05.12.21	TITLE BLOWER MOTOR SUPPORT	REV. A SHEET 4 OF 5 SCALE 1:2



D3471-3 SUPPORT BENDING DETAIL

NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET (0.063 THICK)
PER AMS-QQ-A-250/4 OR AMS 4037
(REF. DART SPEC. M2024T3S.063)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) PART IS SYMMETRICAL ABOUT CENTER LINE
- 4) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN <i>BS</i>	DRAWN BY <i>BS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED <i>AS</i>	APPROVED <i>AS</i>	DRAWING NO. D3471	REV. A	SHEET 5 OF 5
DATE 05.12.21		TITLE BLOWER MOTOR SUPPORT	SCALE 1:1	<i>60146</i>

06.04.03**D3471-5 STIFFENER FLAT PATTERN****D3471-5 STIFFENER
BENDING DETAIL****D3471-5 STIFFENER****NOTES:**

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET (0.032" THICK)
PER QQ-A-250/4 OR AMS 4037
(REF. DART SPEC. M2024T3S.032)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries